




one eighth inch = one foot  
one quarter inch = one foot  
one half inch = one foot  
three eighths inch = one foot  
one inch = one foot  
one and one half inches = one foot  
two inches = one foot  
three inches = one foot  
three quarters inch = one foot  
one half inch = one foot  
one quarter inch = one foot  
one eighth inch = one foot




B1 TYPICAL WEST PATIENT ROOM REFLECTED CEILING PLAN  
1/2" = 1'-0"



C7 TYPICAL EAST PATIENT ROOM REFLECTED CEILING PLAN  
1/2" = 1'-0"



F1 TYPICAL SOUTH ISOLATION PATIENT ROOM REFLECTED CEILING PLAN  
1/2" = 1'-0"




F4 TYPICAL SOUTH PATIENT ROOM REFLECTED CEILING PLAN  
1/2" = 1'-0"

REFLECTED CEILING PLAN AND MEPFP SYMBOL LEGEND

- RECESSED DOWNLIGHT
- 2x6" WALL MOUNTED LIGHT FIXTURE - EMERGENCY POWER
- 1x4 RECESSED LIGHT FIXTURE - EMERGENCY POWER
- 2x4 RECESSED LIGHT FIXTURE - EMERGENCY POWER
- 1x4 RECESSED LIGHT FIXTURE
- 2x4 RECESSED LIGHT FIXTURE
- 2x4 SUPPLY AIR DIFFUSER
- 2x2 SUPPLY AIR DIFFUSER
- SUPPLY AIR DIFFUSER
- 2x2 RETURN AIR/EXHAUST
- FLUSH MOUNTED PUBLIC ADDRESS VISUAL/ SPEAKER
- EXIT LIGHT
- OCCUPANCY SENSOR
- CEILING DOME CAMERA
- 2x1 FIRE ALARM SPEAKER / VISUAL
- FIRE ALARM SPEAKER
- FIRE ALARM VISUAL
- SMOKE DETECTOR
- SPRINKLER HEAD
- × SPRINKLER HEAD
- 2'x4' ACOUSTICAL CEILING PANELS AND GRID
- 2'x2' ACOUSTICAL CEILING PANELS AND GRID
- GYPSUM BOARD CEILING (UNO)
- CEILING MOUNTED EQUIPMENT SUPPORT BRACING (ABOVE CEILING) SUPPORT
- CEILING MOUNTED (CONCEALED) PROJECTION SCREEN
- PS1 - 116 87
- HEIGHT
- WIDTH
- TYPE
- SYNCHRONIZED CLOCK SYSTEM
- PS POWER SUPPLY
- RADIANT CEILING PANEL
- CEILING MOUNTED PROJECTOR

REFLECTED CEILING PLAN GENERAL NOTES

A. CEILING HEIGHTS ARE 9'-0" AFF UNO  
B. NOT ALL KEYED NOTES USED THIS SHEET  
C. ALL DIMENSIONS FOR PATIENT LIFT TRACK SHALL BE COORDINATED WITH SELECTED MANUFACTURERS REQUIREMENTS AND MAY VARY  
D. CEILING HEIGHT IN PATIENT TOILETS MAY VARY BASED ON PATIENT LIFT MANUFACTURER'S SELECTED REQUIREMENTS  
E. DO NOT COORDINATE REQUIRED HEIGHT WITH SELECTED LIFT SYSTEM MANUFACTURER'S RAIL MOUNTING REQUIREMENTS



FULLY SPRINKLERED  
CONSTRUCTION DOCUMENTS

<b>CONSULTANTS:</b> STRUCTURAL ENGINEER: KPFF CONSULTING ENGINEERS - ST. LOUIS 1630 DES PERES RD, SUITE 100 ST. LOUIS, MO 63131 MECHANICAL/ELECTRICAL: KJWW ENGINEERING CONSULTANTS - ST. LOUIS #15 SUNNEN DRIVE, SUITE 104 ST. LOUIS, MO 63141 PLUMBING: 303RD ENGINEERING GROUP, LLC 1935 ARSENAL STREET ST. LOUIS, MO 63118 ESTIMATING: KWAME BUILDING GROUP 1204 WASHINGTON AVE. SUITE 200 ST. LOUIS, MO 63103 LIFE SAFETY/FIRE PROTECTION: CODE CONSULTANTS, INC. 2043 WOODLAND PARKWAY, SUITE 300 CHESTERFIELD, MO 63146 ACOUSTICAL ENGINEERS: ACOUSTICCONTROL, LLC 1709 WASHINGTON AVENUE, LOFT 300 ST. LOUIS, MO 63103 COMMISSIONING: ZODIAC INTERNATIONAL 16100 CHESTERFIELD PARKWAY, SUITE 365 CHESTERFIELD, MO 63117 ENVIRONMENTAL: ENVIRONMENTAL CONSULTANTS, LLC #6 MEADOW HEIGHTS PROFESSIONAL PARK DR COLLINGSVILLE, IL 62234				<b>ARCHITECT/ENGINEERS:</b> <b>CHRISTNER</b> ARCHITECTS   DESIGNERS   PLANNERS   LANDSCAPE ARCHITECTS 168 N MERAMEC, SUITE 400   ST. LOUIS, MISSOURI 63105 TEL 314 725 2927   FAX 314 725 2928   CHRISTNERINC.COM				Drawing Title <b>ENLARGED REFLECTED CEILING PLANS</b>				Project Title <b>INTENSIVE CARE UNIT</b>				Project Number <b>589-330</b>				Building Number <b>1</b>				Drawing Number <b>AE416</b>				Office of Construction and Facilities Management				Department of Veterans Affairs			
2 2/9/15 Amendment #6				1 1/14/15 Amendment #4				Location <b>HARRY S. TRUMAN VAMC</b>				Date <b>12/30/13</b>				Checked <b>Checker</b>				Drawn <b>Author</b>				Approved <b>Approver</b>				Dwg. 44 of 296							
No.				Date				Revisions																											